2012 JUN 13 AM 8: 39

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Lake of the Hills (0170029) Brights (0170002) Eudora (0170006) Chickasaw B1(0170028) List PWS ID #s for all Water Systems Covered by this CCR The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Please Answer the Following Questions Regarding the Consumer Confidence Report Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) Advertisement in local paper On water bills Other Date customers were informed:/ _/ CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: Date Mailed/Distributed:/ / CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: Desoto Times Tribune Date Published: _6 / _7 _ 2012 CCR was posted in public places. (Attach list of locations) Date Posted: _/ / CCR was posted on a publicly accessible internet site at the address: www. CERTIFICATION I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is frue and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply. Name Title (President, Mayor, Owner, etc.)					NORTH MISSISSIPPT UTILITY COMPANY Public Water Supply Name
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) Advertisement in local paper	Lake	of	the	Hills	(0170029) Brights (0170002) Eudora (0170006) Chickasaw Bl(0170028 List PWS ID #s for all Water Systems Covered by this CCR
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) Advertisement in local paper	Tl cc m	ne Fed Infiderust be	deral Sance repo mailed	afe Drink ort (CCR) to the cu	ing Water Act requires each <i>community</i> public water system to develop and distribute a consumer to its customers each year. Depending on the population served by the public water system, this CCR stomers, published in a newspaper of local circulation, or provided to the customers upon request.
Advertisement in local paper On water bills Other Date customers were informed: / CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: Date Mailed/Distributed: / _/ CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper:DesotoTimesTribune Date Published: 6 / 7 2012 CCR was posted in public places. (Attach list of locations) Date Posted: / CCR was posted on a publicly accessible internet site at the address: www CERTIFICATION I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.	Pl	ease A	4nswer	the Follo	wing Questions Regarding the Consumer Confidence Report
Date customers were informed:/ CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: Date Mailed/Distributed:/ CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper:DesotoTimesTribune Date Published:6			Custon	ners were	informed of availability of CCR by: (Attach copy of publication, water bill or other)
CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: Date Mailed/Distributed:/ _/ CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper:DesotoTimesTribune Date Published:6 /7 2012 CCR was posted in public places. (Attach list of locations) Date Posted:/ _/ CCR was posted on a publicly accessible internet site at the address: www CERTIFICATION I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.					
Date Mailed/Distributed:/ CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper:DesotoTimesTribune Date Published:6 /7 2012 CCR was posted in public places. (Attach list of locations) Date Posted:// CCR was posted on a publicly accessible internet site at the address: www CERTIFICATION I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.			Date o	ustomer	rs were informed://
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: Desoto Times Tribune Date Published: 6 / 7 2012 CCR was posted in public places. (Attach list of locations) Date Posted: / / CCR was posted on a publicly accessible internet site at the address: www			CCR	was disti	ributed by mail or other direct delivery. Specify other direct delivery methods:
Name of Newspaper: Desoto Times Tribune Date Published: 6 / 7 2012 CCR was posted in public places. (Attach list of locations) Date Posted: / / CCR was posted on a publicly accessible internet site at the address: www CERTIFICATION I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.			Date M	failed/Dis	stributed://
Date Published: 6 / 7 2012 CCR was posted in public places. (Attach list of locations) Date Posted: / / CCR was posted on a publicly accessible internet site at the address: www	X	,	CCR w	as publis	hed in local newspaper. (Attach copy of published CCR or proof of publication)
CCR was posted in public places. (Attach list of locations) Date Posted: / / CCR was posted on a publicly accessible internet site at the address: www	7		Name	of Newsp	aper: <u>Desoto Times Tribune</u>
Date Posted: / / CCR was posted on a publicly accessible internet site at the address: www			Date P	ublished:	<u>6 / 7/</u> 2012
CCR was posted on a publicly accessible internet site at the address: www			CCR w	as posted	in public places. (Attach list of locations)
CERTIFICATION I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.			Date P	osted:	<u>/ /</u>
I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.			CCR w	as posted	on a publicly accessible internet site at the address: www
consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.	<u>C</u> 1	ERTI	FICAT	<u>ION</u>	
	co De	nsiste partm	nt with ent of l	the wate Health, B	er quality monitoring data provided to the public water system officials by the Mississippi State ureau of Public Water Supply.

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2011 Annual Drinking Water Quality Report North Mississippi Utilities PWS#:170002, 170006, 170028 &170029 May 2012

2012 JUN 13 AM 8: 39

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Sparta Sand and Lower Wilcox Aquifers. Systems # 170028 & 170029 are being served by system # 170006.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the North MS Utilities have received lower to moderate rankings in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact Bill Roberson at 662.429.9509. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at the annual meeting scheduled for January 10th at 3:00 PM at 1481 Byhalia Road, Hernando, MS 38632.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2011. In cases where monitoring wasn't required in 2011, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

PWS # 170	0002- Bri	ights	T	EST RESUL	ΓS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination

6. Radium 226	N	2011	.761	No Range	р	Ci/1	0	5	Erosion of natural deposits
Inorganic (Conta	minants	}		, <u>I</u>	·		L	
10. Barium	N	2011	.03	No Range	р	pm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2007*	1.3	0	р	pm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2007*	2	0	p	pb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2011	.32	.2932	р	pm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Volatile On 76. Xylenes	rganio	c Contar	ninants .001	No Range	p	pm	10	10	Discharge from petroleum factories; discharge from chemica factories
Disinfectio	n By-	Product	s						
82. TTHM [Total trihalomethanes]	N	2011	2.04	No Range	ppb		0	80	By-product of drinking water chlorination.
Chlorine	N	2011	1.3	1.05 - 1.55	ppm		0 MR	DL = 4	Water additive used to control

PWS # 1700	006 – E	udora		TEST RESUI	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic C	Contam	inants						
8. Arsenic	N	2011	.6	No Range	ppb	n/a	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2011	.03	.00803	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fluoride	N	2011	.484	.385484	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Volatile Or	ganic C	Contamir	ants					
66. Ethylbenzene	N	2011	.848	.781848	ppb	700	700	Discharge from petroleum refineries
76. Xylenes	N	2011	.004	.003004	ppm	10	10	Discharge from petroleum factories; discharge from chemica factories

Disinfection	n By	-Produc	ets					
81. HAA5	N	2011	15	No Range	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2011	1.98	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2011	1.4	1.1 – 1.58	ppm	0	MRDL = 4	Water additive used to control microbes

	028 - C				1	Tarono	1401	Liberty Course of Contemination
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL/MRDL	or Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (Contam	inants						
8. Arsenic	N	2011	.6	No Range	ppb	n/a	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2011	.03	.00803	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011	.484	.385484	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	6	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Volatile Or	ganic (Contami	nants					
66. Ethylbenzene	N	2011	.848	.781848	ppb	700	700	refineries
76. Xylenes	N	2011	.004	.003004	ppm	10	10	Discharge from petroleum factories; discharge from chemical factories
Disinfection	n By-Pı	roducts						
81. HAA5	N	2011 7	,	No Range p	ob	0		By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2011	7.42	No Range p	ob	0	80	By-product of drinking water chlorination.
Chlorine	N	2011 1	.9	No Range p	om	0 MF	RDL = 4	Water additive used to control microbes

PWS # 170	0029- La	ke on th	e Hills -	TEST RES	SULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL.	Likely Source of Contamination

8. Arsenic	N	2011	.6	No Range	ppb	n/a	10	D Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2011	.03	.00803	ppm	2	2	 Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fluoride	N	2011	.484	.385484	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Volatile Or	gani						,	
66. Ethylbenzene	N	2011	.848	.781848	ppb	700	700	Discharge from petroleum refineries
76. Xylenes	N	2011	.004	.003004	ppm	10	10	Discharge from petroleum factories; discharge from chemica factories
	1	l l						
Disinfection	n By-	Product	S			`		
	n By-	Product	S	No Range	ppb	0	60	By-Product of drinking water disinfection.
Disinfection 81. HAA5 82. TTHM [Total trihalomethanes]			,	No Range	ppb	0		

^{*} Most recent sample. No sample required for 2011.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", our water system — Eudora # 170006, is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 7. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 90%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice

^{**} Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

***** A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water suppliers were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The North Mississippi Utilities works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2012 JUN 13 AM 8: 39

DESOTO TIMESTRIBUNE SIMPLY MAKING LIFE BETTER SINCE 1839

PROOF OF PUBLICATION

THE STATE OF MISSISSIPPI COUNTY OF DESOTO

COUNTY OF DESOTO)				
DIANE SMITH personally ap the is the <u>Clerk</u> of the DeSoto	-	_			
and having a general circulation peen made in said paper				a copy of which is hereto	attached, has
	Volume No. <u>//7</u>	on the	day of	, 2012	
	Volume No				
	Volume No.	on the	day of	, 2012	
	Volume No.	on the	day of	, 2012	
	Volume No.	on the	day of	, 2012	
	Volume No.		day of	, 2012	
	BY: War	ue Smi	th		
	Sworn to and subsc		, this 7 da	OF MIS	10 00 di
	NOTARY PUBLIC STA MY COMMISSION EX BONDED THRU DIXI	PIRES: JANUAR E NOTARY SERV	Y 16, 2013 TCE, INCORPORAT	NOTARY PI Comm Ex January 19	UBLIC pires 5, 2013
				words @ .10 \$	
	C. Making proof of p				
	TOTAL PUBLISHER	2'S FEE: \$.3 7	12.36		

2445 Hwy. 51 South, Hernando, MS 38632 • 662.429.6397 • Fax: 662.429.5229

2011 Annual Drinking Water Quality Report North Misstasippl Utilities PWSE-170002, 170005, 170028 &170029 May 2012

Widn pleased to present to you the year's Annual Quality Water Report. This report is designed to inform you about the quality water and envione we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of distaking valler. We want you to understand the efforts we make to continually improve the water treatment process and protect are somewant you to understand the efforts we make to continually improve the water treatment process and protect are somewant you to understand the efforts we make to continually improve the water treatment process and protect are somewant you are committed to providing you with information because informed customers # 1700.029 are being served by system \$1,700.09.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contemination. A report containing detailed information on how the susceptibility water supply to identify potential sources of contemination. A report containing detailed information on how the susceptibility detailed in the contemination were made has been four public water system and is exalable for viewing upon request. The wells for the North MS Utilities have received tower to moderate rankings in terms of ausceptibility to containination.

If you have any questions about this report or concerning your water utility, please contact BIB Roberson at 662.429.8509. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at the armuel meeting scheduled for January 10⁻²⁴ at 300 PM at 1481 Byhalla Road. Hernando, MS 39932.

January 10" at 3:00 PM at 1481 Byhalla Road, Hernando, MS 38932.

We rotifriely menter for constituents in your drinking water according to Federal and State lever. This table below lists all of the drinking valent constituents are recorded by the second of the second

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these ter provided the following deficitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water systmust follow.

Maximum Conteminant Level (RCL): The "Maximum Allowest" (MCL) is the highest level of a contaminant that is allowed i water. MCLs are set as close to the MCL0 as feasible using the best available trestment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of earlety.

Maximum Residual Disinfectant Level (MRDL) — The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Meximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (opm) or Milligrams per ster (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (topb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single per 510,000,000.

WS # 1700	02- Br	ights	1	EST RESUL			MCL	Likely Sour	os of Conta	minetion	+
ntaminant	Violation Y/N	Date Collected	Detected Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MROL	Unit Measure -ment	MCLG	į	Casay Soci			1
				MCCACCIIIICOS							

Control of the second	2.13.17.1	taminar	1.781	No Range	To	CV1		0	5	Erosion of natural deposits
6, Radium 226	N	2011	1.701	red realige				1		
Inorganic ('onto	minonts								
10. Berlum	N	2011	.03	No Range	P	pm		2	2	discharge from metal refineries; erosion of natural deposits
14. Copper	N	2007*	1.3	0	9	pm	1	.3	AL=1,3	systems; erosion of natural deposits; leaching from wood preservatives
17, Lead	N	2007*	2	0,	5	pb		0	AL≖15	systems, erosion of natural deposits
19. Nitrate (as Nitrogan)	N	2011	.32	.2932	- 1	pm		10	10	Runoff from fertilizer use; leachin from septic tanks, sewage; erosic of natural deposits
Volatile O	ganie	e Conta	minants	No Range	- Ti	Эрт		10	10	Discharge from petroleum factories; discharge from chemic
76. Ayansas		1								factories
Disinfectio		Deoduc								
				T	I ppb	-1	-61	-	80	By-product of drinking water
82 TTHM ITotal	N	2011	2.04	No Range	ppo		1			chlorination.
tribatomethanes)							0		X. = 4	Water additive used to control

PWS # 1700	/VO E	uuora		TEST RESUI		r	MCL	Likely Source of Contamination
Contaminent	Violation	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG		Lasy sociol il communi
Inorganic C	Contam	inants						100
8. Arsenic	N	2011	.6	No Range	ppb	nia	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barlom	N	2011	.03	.00803	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16, Flyoride	N	2011	.484	385 - 484	ppm	•	4	Erosion of natural deposits; water additive which promotes strong (seth; discharge from fertilizer and atuminum factories
17. Lend	N	2008*	1	0	opb	٥	AL=15	Corrector of household plumbing systems, eroston of natural deposits
Volatile Or				and the second				
CANDO AND AND ARROWS AND	IN	2011	848	781 - 848	l ppb	700	700	Discharge from petroleum
68. Ethythenzene		1			100000		50000	refinertes
78. Xylenes	N	2011	.004	.003 + .004	ppm	10	10	Discharge from petrolsum factories: discharge from chemic factories

Disinfectio	n By-	Products					By-Product of drinking water
SI. HAAS	N	2011	15	No Range	pipts	0 60	disinfection.
iz. TTHM Total	N	2011	1.98	No Renge	ppts	0 80	By-product of drinking water chlorination. Water additive used to control

PWS # 1700	28 – C	hickasa	w Bluff	TOTAL STREET,	RESUL		630 653	Likely Source of Contemination
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects	-ment	MCLG	MCL	Doory Source of Curtamination
Inorganie C	ontam	inants						
8. Arsenic	N	2011	.6	No Range	ppto	rVa	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Berkm	N	2011	.03	.00803	ppm	2	2	
14 Copper	N	2008*	.1	a	ppm	1,3	AL#1.3	Corrector of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Flucride	N	2011	.484	385 - 484	ppm	1	1	
17. Leed	N	2008*	8	0	ppb	0	AL=15	
Volatile Or	ganic (2011	548 004	.781845 .003004	ppm	700		refineries
76. Xylenes	l"	100.	T					factories; discharge from chemics factories
Disinfection	a Bv-P	roducts						
81, HAA5	N I	2011	7	Na Range	φb	0	60	By-Product of drinking water disinfection.
82 TTHM	N	2011		No Range	ypb dqx	0	80	By-product of drinking water chlorination.
(Total tribalomethanes)	0.000		7.42				RDL # 4	Water additive used to control

onterninant	Viciation Y/N	Date Collected	Level Detected	Range of Detects or s of Samples Exceeding	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
				MCLACLAROL		10000	<u> </u>	l

700	AL-11	discharge from metal refineries; erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aturatum factories
<u> </u>	AL-11	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and eturnisum factories. Corresion of nousehold plembing systems, erosion of natural.
<u> </u>	AL=1	systems, erosion of natural
700		
	70	refineries
10	1	
	· Sale	1000
0		60
0		80

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

requirements, NSIJH now notines systems of any measing samples prior to the distal of the complete specified with service lines and home plumbling. Our water system dirthing water is primarily from materials and components associated with service lines and home plumbling. Our water system is the complete specified of the complete specified in plumbling components. When responsible for providing high quality distring west, but cannot be potential for lead exposure by flushing your tap for 30 seconds to 2 your water has been altering for several hours, you flow of the complete specified in your water, you may with to find the complete specified in your water, you may with to the complete specified in your water, you may with to the complete specified in your water, you may with to the complete specified in your water, you may with to the complete specified in your water, you may with to the complete specified in your water to still your water observed the plant to the complete specified in your water, the plant to the complete specified in your water health. All your plant is a small plant to the plant to the complete specified in the plant to th

As sources of drinking water are subject to potential contamination by substances that are naturally occurring or man marie. These substances can be microbes, inorganic or organic chemicals and reducednes substances. All drinking water, including one of the many reasonably be expected to contain at least small amounts of some contamination.

The property of the pr

Some people may be more videorable to contaminants in drinking water than the general population, immuno-compromised persons such as persons with carcer undergoing chamotherapy, persons who have undergone organ transplants, people with HIV/AIDS or

about drinking water from their health cere providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminante are available from the Safe Orinking Water Holline 1,800,426,4791.

In accordance with the Redionuclides Rule, all community public velocities are presented to sample quarterly for radionuclides beginning January 2007 – December 2007. For the Health of the State Completed sampling by the scheduled deadline, however, until beginning January 2007 – December 2007 for the Health Radiological health belonatory, the Error Health Radiological completed sampling by the scheduled deadline, however, until beginning January 2007 – December 2007 for the Health Radiological health belonatory, the Error Health Radiological completed sampling by the scheduled deadline, however, until beginning January 2007 – December 2007 for the Health Radiological completed sampling by the scheduled deadline, however, until the support of the Health Radiological completed samples and results until striber notice. All and the the scheduled of the Health Radiological completed samples and results until striber notice. All as of this date, your water of results in the Health Radiological completed striber and the Health Radiological complete samples and results until striber notice. All as of this date, your water of results in the Health Radiological complete samples and results until striber notice. All as of this date, your water of results in the Health Radiological complete samples and results until striber notice. All as the Health Radiological complete samples and results until striber notice. All as the Health Radiological complete samples and results until striber notice. All as the Health Radiological complete samples and results until striber notice. All as the Health Radiological complete samples and results until striber notice. All as the Health Radiological complete samples and results until striber notice. All as the Health Radiological complete samples and results until striber notice. All as the Health Radiological complete samples and results until striber notice. All as the Health Radiological complete samples and results until striber notice. All as the Health Radiological complete samples

The North Mississippi Utilities works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Most recent sample. No sample required for 2011.

** Elucride level to routinely adjusted to the MS State Dapt of Health's recommended level of 0.7 - 1.3 mg/l.